



Effect of compression in molecular spin-crossover chains

Cite as: Fiz. Nizk. Temp. **47**, 491–500 (June 2021); doi: [10.1063/10.0004967](https://doi.org/10.1063/10.0004967)
Submitted: 23 April 2021



A. Gudyma¹  and Iu. Gudyma^{2,a)} 

AFFILIATIONS

¹Max Planck Institute of Microstructure Physics, Weinberg 2, 06120 Halle/Saale, Germany

²Physical Technical and Computer Sciences Institute of Yuriy Fedkovych Chernivtsi National University, Chernivtsi 58012, Ukraine

^{a)}Author to whom correspondence should be addressed: yugudyma@gmail.com

ABSTRACT

The thermodynamic properties of a one-dimensional spin-crossover molecular chain under constant external pressure are investigated. The effective compressible degenerate Ising model is used as a theoretical basis. Analytical results for the crossover from low to high spin are obtained using the transfer matrix formalism. Exact expressions are obtained for the fraction of molecules in the high-spin state, the correlation function, and the heat capacity. The analysis of the range of parameters in which the spin-crossover occurs is carried out, and it is shown how the pressure changes the position of the crossover.

Published under an exclusive license by AIP Publishing. <https://doi.org/10.1063/10.0004967>